

CUMULATIVE INDEX 1998

Volume 25

January	SKIN RESURFACING, pages 1–133
April	BREAST RECONSTRUCTION WITH AUTOLOGOUS TISSUE, pages 135–319
July	WOUND HEALING: STATE OF THE ART, pages 321–483
October	COMMON PEDIATRIC PLASTIC AND RECONSTRUCTIVE DIAGNOSES, pages 485–661

Note: Page numbers of article titles are in **boldface** type

Abdominal wall, anterolateral, anatomic features of, 237–240
complications of, and problems associated with TRAM flap donor site closure, 235
in breast reconstruction, 235–249
terminology associated with, 236–237
for TRAM flap for breast reconstruction, 161–162
muscles and aponeuroses of, 238–239
blood supply of, 239–240
Absorbents, 434
Accutane, in dermabrasion, 68, 82
Acne, active, dermabrasion in, 65–66
following CO₂ resurfacing, 129
in children 10 to 15 years, aesthetic considerations and, 633
scarring due to, CO₂ laser resurfacing in, 119, 124–125
dermabrasion in, 63–65, 85
Acne scars, new, following dermabrasion, 76
Acquired deformities, management of, team approach to, 485–491
Actinic cheilitis, CO₂ laser resurfacing in, 120
Actinic damage, dermabrasion in, 66
Actinic keratoses, phenol peel in, 5, 6
Acyclovir, dermabrasion and, 69, 70–71, 82
Adhesion molecules, wound healing and, 361
Aesthetics, and pediatric population, 580, 631–649
Airway, injuries to, in neonatal intensive care unit, 609–612
Alginate, 435–436
AlloDerm, 417–418
Alpha hydroxy acid peels, activity of, factors determining, 45–46
bioavailability of, 46
considerations in, 45–52
contraindications to, 48
depth of peel and, 45
hill-valley technique of, 50
patient examination for, 48
patient interview for, 47–48
pH of, 46
postpeel care in, 50–51
prepeel program for, 48–49
properties of, 46
re-epithelialization following, 51
techniques for, 50
uses and benefits of, 46–47
versus other chemical peels, 50
Alpha hydroxy acids, 45
Alveolar bone grafting, 502
Amblyopia, in child, surgery for, 579–580
Amniotic fluid, and fetal wound healing, 357
Analgesia, for pediatric patient in emergency department, 625–626
Anatomic deformities, correction of, Ilizarov method in, 572–573
Anesthesia, for CO₂ resurfacing, 122
for dermabrasion, 72–73
Anesthetics, for pediatric patient in emergency department, 622–623
Angiogenesis, in wound healing, 328–329
Ankyloblepharon, surgery for, 582
Antibiotics, following CO₂ resurfacing, 126
Anti-inflammatory drugs, in scar treatment, 461
Antithrombin III deficiency, ulcers in, 476
Apert syndrome, 540–541, 548, 549
Aponeuroses, of abdominal wall, 238–239
blood supply of, 239–240
Arterial injuries, acute, in neonatal intensive care unit, 604–609
diagnosis of, 605–606
treatment of, 606–607
results of, 607–609
Arteriovenous malformations, 518–521
Arthritis, rheumatoid, ulcers in, 474
Autologous tissue, 135–143
breast reconstruction with, 135–316
for delayed breast reconstruction, 157–161
for immediate breast reconstruction, 152
Baker-Gordon formula, for phenol peel, 21, 22, 23, 24, 29, 30
Behavior problems, in children with clefts, 593–594
Bender's syndrome, cartilage grafting in, 638
Biobrane, for human skin replacement, 408

Birthmarks, common, diagnosis and treatment of, 509–525

Bite wounds, management of, in pediatric patient in emergency department, 627

Blepharophimosis syndrome, surgery for, 583

Blepharoplasty, laser. See *Laser(s), blepharoplasty*.

- skin-muscle flap, disenchantment with, 95
- Blepharoptosis, congenital, surgery in, 580–581
- Blood vessels, auxiliary recipient, dissection of, for breast reconstruction, 209–210
- internal mammary, as recipient site, 213–221
 - anatomic study for, 213–214
 - results of, 214, 215, 216
 - cases illustrating, 217–218
 - diameter and site of, 219–220
 - preoperative examination of, 214, 215
 - surgical approach for, 214–217
 - time of breast reconstruction and, 219
 - dissection of, 216–217
- of subscapular system, 208–209

recipient, for delayed breast reconstruction, 208

- for immediate breast reconstruction, 207–208
- for superior gluteal free flap breast reconstruction, 269–270
- selection of, for breast reconstruction, 207
- various, for breast reconstruction, 210–211

Blount disease, correction of, Ilizarov method for, 573, 574

Bone(s), angular deformity of, Ilizarov method in, 573, 575

- generation of, Ilizarov method for, 567
- transport of, examples of, 570, 571

Brachial plexus, anatomical distribution of, 527

- birth injuries of, and current management of, 527–536
 - cause of, 527, 528
 - historical perspective on, 528
 - initial exploration of, in obstetric brachial plexus palsy, 531–533
- Brachial plexus palsy, obstetric, clinical presentation and classification of, 531
- conservative management of, 531
- incidence of, 528–529
- initial surgical approach in, 533
- origin and predisposing factors in, 529
- pathophysiology of, 529
- physical examination in, 529–530
- postoperative course in, 533
- primary reconstruction in, results of, 533
- secondary reconstruction in, 533–535
 - assessment of, 535
 - assessment prior to, 533
 - postoperative course of, 535
- surgical management of, 531–535
- treatment of, 527–528
 - types of nerve damage seen in, 529

Breast development, in children 10 to 15 years, aesthetic considerations and, 633, 641–645

Breast reconstruction, abdominal wall complications in, 235–249

- autogenous, contralateral procedures for symmetry in, 231–232
- secondary shaping in, of skin envelope, 230, 231
 - timing of, 230
 - volume adjustments for, 230–231
- autogenous tissue versus implant reconstruction for, 312
- autologous, delayed, operative considerations for, 226
 - preoperative markings for, 225
 - shaping of donor flap for, 226–230
- immediate, operative considerations for, 225–226

Breastmarks, common, diagnosis and treatment of, 509–525

Breast reconstruction, autologous tissue alternatives for, 312–314

- bilateral, 251–259
 - free TRAM flap for, 253–255
 - perforator flap for, 253
 - unique features of, 251, 252
- choice of technique for, 311–316
 - oncologic considerations for, 311–312
 - patient considerations for, 311
- delayed, 157–166
 - autologous tissue for, 157
 - results of, 159–161
 - surgical techniques for, 158–159
 - total autogenous latissimus flap in, 261–266
- immediate, 145–156
 - advantages of, 146–149
 - and adjuvant therapies, effect on reconstructive outcome, 153–154
 - approach to patient for, 149
 - autologous tissue for, 152
 - background of, 145–146
 - controversies in, 152–154
 - cosmetic benefits of, 146–148
 - in patients with advanced disease, 153
 - oncological safety and, 152
 - psychosocial benefits of, 146
 - recipient vessels for, 207–208
 - reduced cost of, 149
 - reduced morbidity associated with, 148
 - skin-sparing mastectomy technique for, local recurrence and, 152–153
 - technical options for, 149–152
 - tissue expansion and breast implants for, 149, 150
 - tissue flaps and breast implants for, 150, 151
- implant-based, advantages of, 135
 - costs of, 135–136
 - disadvantages of, 135–136
 - in high-risk patients, avoiding of, 240–241
 - recipient blood vessels for, 207–208, 210–211
 - restoration of symmetry in, 314
 - selection of flap for, 207
 - selection of recipient vessels for, 207
 - superior gluteal free flap for, 267–274
 - using pedicled TRAM flap, 167–182
 - with autologous tissue, 135–316
 - advantages of, 136–137, 138
 - alternatives to, 139
 - costs of, 139, 140
 - disadvantages of, 137–139

Burns, treatment of, advances in, 407

Cadaver allograft skin, 407–408

Café-au-lait macules, 521

Cancer, and wound healing, 371–372

Cannulas, continuous evaluation of, in regard to position, guidelines for, 610–612

Capillary hemangioma, surgery for, 584

Capillary malformations, 515–517

Cartilage grafts, in pediatric patient, 636–638

Catheters, umbilical artery, injuries associated with, 603–604

Chalazion, surgery for, 584

Cheilitis, actinic, CO₂ laser resurfacing in, 120

Chemosurgery, dermabrasion and, 69

- or laserbrasion, versus dermabrasion, 78–79

Chemotherapy agents, inhibiting wound healing, 371
 Chickenpox scarring, dermabrasion in, 67
 Child(ren), aesthetic considerations in, 580, 631–649
 age 1 to 15 years, aesthetic considerations in, 631
 age 5 to 10 years, aesthetic considerations in, 631–632
 age 10 to 15 years, aesthetic considerations in, 632–633
 common plastic and reconstructive diagnoses in, 485–649
 eyelid surgery in, special considerations for, 579–580, 639, 640
 facial deformities in, neuropsychologic impact of, 587–597
 older, with craniofacial abnormalities, attachment problems of, 592–594
 with clefts, behavior problems in, 593–594
 Chin, augmentation of, cartilage grafting for, 636, 637
 Silastic implants for, 645–646
 Cholesterol plaques, embolization of, 477
 Cleaners, following CO₂ resurfacing, 127
 Cleft hand, 547, 548, 562, 565
 Cleft lip, and cleft palate, primary treatment of, timing and technique of, 495
 treatment of, ancillary care in, 495–496
 research on mother-infant relationships in, 591
 secondary deformities in, 502–506
 treatment of, 496–500
 algorithms for, 493–507
 Cleft nose deformity, approach to, 495
 secondary to cleft lip and cleft palate, 503–505
 Cleft palate, and cleft lip, primary treatment of, timing and technique of, 495
 treatment of, ancillary care in, 495–496
 bilateral, treatment of, 501
 hospitalization to correct, attachment behavior and, 592
 research on mother-infant relationships in, 591
 secondary deformities in, 502–506
 treatment of, 500
 algorithms for, 493–507
 international centers for, survey status of, 493–495
 Clefts, children with, behavior problems in, 593–594
 Clinodactyly, of thumb, 546–547
 Clubfoot, Ilizarov method in, 573–575
 CO₂ laser(s), 2, 92–93
 and dermabrasion, efficacy of, compared, 81
 background and evolution of, 109
 Coherent 5000, 117
 Luxor, 118
 Paragon, 118
 physics of, 109–113
 resurfacing with, 109–130
 as long lasting, 109, 110–113, 114
 comparison of different lasers for, 116–118
 complications of, 127–129
 contraindications to, 120
 indications for, 119–120
 laser-tissue interaction in, 113–116
 limitations of, 119–120
 long-term histology of, 118–119
 postoperative care following, 125–127
 preoperative assessment for, 121
 preoperative medications for, 121
 pretreatment skin regime for, 121–127
 procedures on day of, 122–123
 results of, 129
 special precautions for, 120–122
 technique of, 122–127
 Sharplan Feathertouch-Silktouch, 117–118
 true pulse, 118

Ultrapulse, 3
 Collagen, scar formation and, 360–361
 synthesis of, in wound healing, 330–332, 333
 Collagenase activity, in acute versus chronic wounds, 350, 351
 Coloboma, surgery for, 583–584
 Communication, human, human face in, 588–589
 in human living groups, 587
 nonverbal, 587–588
 Compression pressure, to prevent burn scar hypertrophy, 457–458
 Congenital deformities, management of, team approach to, 485–491
 Connective tissue disease, ulcer formation in, 474–475
 Consolidated Omnibus Budget Reconciliation Act (COBRA), emergency department and, 620–621
 Continuous positive airway pressure (CPAP) devices, airway injuries due to, 609–612
 treatment of, 612–613
 Craniofacial abnormalities, clinical implications of, case study of, 594–596
 impact of, on mother-infant relationship, 590–592
 importance of, to other children with clefts, 593–594
 psychopathology in children with, 593
 Croton oil data, on phenol peels, 24–25
 Cryofibrinogenemia, ulcers in, 476
 Cryoglobulinemia, ulcers in, 476
 Cultured cells, genetic modification of, to promote wound healing, 416
 Cultured grafts, infection of, 415–416
 Curettage, in congenital melanocytic nevi, 522
 Cysts, dermoid, surgery for, 584–585
 Cytokine(s), 321–323
 chronic wounds and, 347–348
 in wound healing, 321, 322, 362
 release of, in healing, 322
 Cytotoxic membrane attack complex, 327

DCIA flap. See *Rubens flap*.
 Debridement, in chronic problem wounds, 376
 Decubitus ulcers. See *Pressure ulcer(s)*.
 in neonatal intensive care unit, 614
 Deep inferior epigastric artery perforator flap. See *DIEA flap*.
 Deep inferior epigastric perforator flap, 162, 165
 Deformities, congenital and acquired, management of, team approach to, 485–491
 Depigmentation, postpeel, 13, 17
 Dermabrasion, 63–80, 81–88
 Accutane and, 82
 adjunctive procedures following, 76–78
 and CO₂ laser, efficacy of, compared, 81
 anesthesia for, 72–73
 autoaugmentation therapy with, 65, 66
 chemosurgery or laserabration versus, 78–79
 complications of, 75–76, 87
 contraindications to, 67–70
 cosmetic and therapeutic benefits of, 63, 64, 65, 81–85
 depth of wound in, control of, 86
 dermatologic disorders treated by, 63
 hemangiomas and, 66–67
 history of, 1
 in congenital melanocytic nevi, 522
 indications for, 63, 64, 65, 81–85
 informed consent for, 70
 instrumentation for, 71, 85, 86
 mechanism of action of, 71, 85, 86
 medications and pill schedule following, 68

Dermabrasion (Continued)

- modern technique of, development of, 1-2
- office and staffing considerations for, 71-72
- patient education for, 70
- patient selection for, 63, 64, 65, 81-85
- physician qualifications and technical skills for, 70
- postoperative care in, 73-75, 86-87
- postoperative considerations for, 70-71
- postoperative sequelae of, 75-76
- psychiatric evaluation for, 70
- re-epithelialization following, 67, 74
- repeating of, 79
- rhytidectomy and, 66
- special considerations in, 67-70
- surgical methods for, 73
- technique of, 85-86
- unfavorable results of, 76

Dermagraft, for skin replacement, 411-413, 414-415

Dermatologists, trichloroacetic acid peels and, 2

Dermoid cysts, surgery for, 584-585

des Marres retractor, for laser blepharoplasty, 97, 99, 100, 101

Dextranomers, 436

DG-TC, for temporary skin closure, 409

Diabetes mellitus, wound healing in, 371

Diabetic ulcers, 345-346, 381, 388-389, 391

DIEA flap, 197-206, 253

- clinical cases illustrating, 203, 204, 205
- donor site closure in, 199-201, 202
- flap harvesting for, 198-199, 200, 201
- flap shaping in, 202
- nipple-areola complex reconstruction, opposite breast and, 203
- patient selection for, 197
- postoperative management in, 202-203
- preoperative management in, 197-198
- recipient vessel dissection for, 201-202
- surgical technique for, 197-202

DIEP flap, 162, 165

Digits, distraction osteogenesis of, 561-566

Distichiasis, surgery for, 584

Distraction osteogenesis, applications of, 553-566

- case reports of, 557-559
- distraction devices for, 556, 557
- evaluation of patient for, 555-556
- imaging for, 556
- in bilateral mandibular hypoplasia, 554-555
- in hemifacial microsomia, 553-554
- in micrognathia, 554-555
- in pediatric upper extremity, 561
- in unilateral mandibular hypoplasia, 553-554
- of hand and digits, 561-566
- radiographic studies for, 555-556
- surgical procedures for, 556-557

Drapes, for laser blepharoplasty, 97

Dressing techniques, for phenol peels, 43

Dressings, 433-441

- alternative, 439
- correct, selection of, 437, 438
- current categories of, 434-440
- emerging technology in, 439-440
- for palliative, 439
- ideal, characteristics of, 433
- impregnated, 434
- in chronic problem wounds, 377
- occlusive, following phenol peeling, 8, 9-11, 12
- reimbursement and medicolegal issues related to, 437-439

Drug therapy, in chronic problem wounds, 377-378

- to prevent excessive scar formation, 460-462

Drug toxicity, ulcers due to, 387-388, 389, 390

Dysproteinemias, ulcer formation in, 476

Ears, aesthetic surgery of, in pediatric patient, 639-641

Ectodermal dysplasia, congenital, dermabrasion and, 68

Ectropion, of lower eyelid, postpeel, 18

Eczematization, following dermabrasion, 75

Edema, control of, in chronic problem wounds, 377

Elastase activity, in chronic wound fluid, 350

Elastin, in wound healing, 332

Electrodesiccation, following dermabrasion, 78

Emergency department, pediatric patient in, analgesia for, 625-626

Anesthetics and sedation for, 622-623

Forms of injury of, 619

Infectious diseases and, 626-627

Interaction with parent in, 621

Postexposure rabies prophylaxis for, 627-628

Sedatives for, 623-625

Special considerations for care of, 621-622

Tetanus immunization for, 626-627

Staff of, 619-620

Emergency Medicine, physicians boarded in, 620

Emergency room service, plastic surgery, common problems seen by, 619-629

Entropion, congenital, surgery for, 581-582

Eosinophils, in wound healing, 326

Epiblepharon, surgery for, 582

Epicanthal folds, surgery for, 582-583

Epidermal-dermal(composite) cultured grafts, development of, 413-415

Epidermal growth factor, wound healing and, 362-363

Epidermal nevus syndromes, 523

Epithelial growth factor, wound healing and, 362-363

Epithelialization, in wound healing, 329-330, 454

Epithelium, cultured, development of, for skin replacement, 410-411

Dysplastic, regeneration of, following chemical peel, 5, 6

Erythema, following CO₂ resurfacing, 127-128

- following dermabrasion, 75
- postpeel, 13

Euryblepharon, surgery for, 582

Extensor tendon deficiencies, 548-551

Extracellular matrix, wound healing and, 360-362

Extravasation injuries, intravenous, full-thickness, 601, 602

- in neonatal intensive care unit, 599-602

Extravasation protocol, hyperosmotic, 601

Eye shields, stainless steel, for laser blepharoplasty, 97

Eyelid(s), lesions of, surgery for, 584-585

- lower, laxity of, CO₂ resurfacing in, 120-121
- postpeel ectropion of, 18
- malformations of, surgery for, 583-584
- malposition of, surgery for, 580-583
- surgery of, 579-586
 - general considerations for, 579
 - in pediatric population, special considerations for, 579-580, 639, 640

Eyes, protection of, for laser blepharoplasty, 97-98

Face, chemical peeling of, modified phenol for, 21-44

Deformities of, in children, neuropsychologic impact of, 587-597

Four zones of, 26

Human, in attachment and bonding, 589-590

in human communication, 588–589

Fanconi anemia syndrome, 541

Fat pads, infrabrow, resection of, for laser blepharoplasty, 102

lower lid, dissection of, for laser blepharoplasty, 99–101

upper lid, resection of, for laser blepharoplasty, 103

Fentanyl (Sublimaze), for pediatric patient in emergency department, 625

Fetal environment, and wound healing, evaluation of, 358

Fetal wound, 357–365

- repair of, gestational age and epithelial-mesenchymal interactions in, 358–359
- intrinsic factors influencing, 358–360
- organ specificity and, 359
- species differences and, 359

Fetus, fibroblast of, wound healing and, 359–360

Fibrin, in wound healing, 323

Fibrin cuff hypothesis, of wound healing, 344

Fibroblast, fetal, wound healing and, 359–360

Fibronectin(s), 323

- in wound healing, 332, 361

Fibroplasia, as phase of wound healing, 398–399

Finger, ring, ray absence, 562, 565

Fitzpatrick type I skin, phenol peel in, 4

Fitzpatrick type II skin, phenol peel in, 4, 5

Flexion contractures, 544–546

Foams, 434–435

Foot(Feet), free-tissue transfer to, in chronic problem wounds, 379

- revascularization of, 379
- vascular supply to, and wound healing, 379

Foreign bodies, impairing wound healing, 369, 370–371

Fractures, treatment of, Ilizarov method in, 569–570

Frontalis suspension, in blepharoptosis, 581

Gallo, Arthur, 29

Gel sheeting, in treatment of hypertrophic scars, 458, 460

Gluteal artery perforator flap, inferior, 302

- superior, 267, 293–302
- breast mound creation for, 299
- donor site closure in, 294–299
- flap dissection for, 294, 295, 296
- preparation and marking for, 294, 295
- recipient vessel dissection for, 294
- surgical techniques for, 294–299
- vessel anastomosis for, 299

Gluteal free flap, inferior, 140, 142, 267–268, 314

- anatomic relations of, 276
- for breast reconstruction, 275–282
- donor site closure in, 279–280
- flap elevation for, 277–279
- flap transfer and inset in, 280, 281
- operative technique for, 277–281
- positioning and markings for, 277
- postoperative care in, 280–281
- preparation of recipient site for, 279
- superior, 314
- for breast reconstruction, 267–274
- experience with, 268
- flap design for, 269
- flap dissection and closure for, 270–272
- flap insertion for, 273–274
- indications for, 268–269
- microvascular anastomosis in, 272
- operating room position for, 270

recipient vessels for, 269–270

Gluteal region, anatomy of, 293–294

Glycosaminoglycans, wound repair and, 361–362

Grade, Arthur, 29

Grade peels, formula for, 29

Graftskin, for skin replacement, 415

Growth factor(s). See also *Cytokine(s)*.

- chronic wounds and, 347–348
- epidermal, 401
- exogenous, modification of wound healing with, 397–405
- fibroblast, 402
- insulin-like, 402–403
- keratinocyte, 402
- platelet-derived, 399–401
- transforming, 401
- vascular endothelial, 401
- wound healing and, 362–363

Gynecomastia, aesthetic considerations in, 633, 643–645

Hand, and digits, distraction osteogenesis of, 561–566

- cleft, 547, 548, 562, 565
- problems of, congenital, 537–552
- causes of, 538–539
- complex multistaged procedures in, 547–551
- operative intervention in, contradicted, 547
- surgical treatment of, after first year/before three years, 542–547
- terminology associated with, 537–541
- treated by splinting, stretching, and nonoperative measures, 541
- treated operatively before six months, 541
- treated operatively between six months and one year, 541–542, 543, 544

Hemangioma(s), and abnormalities of other organs, 513

- capillary, surgery for, 584
- complications of, 509–515
- compromise of function due to, 511
- dermabrasion and, 66–67
- diagnosis and treatment of, 509–515
- multiple cutaneous, 511–512
- treatment of, 513–515
- indications for, 513–514

Hemangiomatosis, benign, neonatal, 511

- diffuse, neonatal, 511

Hemastasis, creation of, 323–325

Hematologic conditions, ulcers in, 475–476

Hemoglobinopathies, skin ulcers in, 475–476

Hernia(s), TRAM flap and, 236–237

- correction of, 246–247
- repair of fascia to avoid, 244–245
- true, TRAM flap and, 236

Herpes simplex, dermabrasion and, 69

Hetter-Heresy formula, for phenol peel, 24, 25

Histamine, 325

HIV, as contraindication to dermabrasion, 69

Holt-Oram syndrome, 541

Hyaluronan, in wound healing, 332

Hydrocolloids, 436, 437

Hydrogels, 435

Hyperalimentation, intravenous infiltrate of, injuries associated with, 602, 603

Hyperbaric oxygen therapy, in chronic problem wounds, 378

Hyperpigmentation, following CO₂ resurfacing, 128–129

- following dermabrasion, 75–76, 87
- postpeel, management of, 13–14

Hypersensitivity vasculitis, 470

Hypertrophic scarring, following dermabrasion, 76, 87
 Hypopigmentation, following dermabrasion, 76, 87
 following phenol peel, 33–35
 Hypoplastic thumb, 544, 546, 548, 550

I-GAP flap, 302
 Ilizarov method, 567–578
 difference of, from other techniques, 567–568
 external fixator used in, 567, 568
 fracture treatment with, 569–570
 in congenital pseudoarthrosis of tibia, 573
 in nonunions, 570–572
 in osteomyelitis, 572
 limb lengthening in, 568–569
 Immobility, pressure ulcers and, 444
 Immune response, fetal and adult, 362
 Immunizations, status of, of pediatric patient in emergency department, 626–627
 Infection, and wound healing, 369
 chronic wounds and, 346
 control of, in chronic problem wounds, 376–377
 of cultured grafts, 415–416
 of soft tissues, in neonatal intensive care unit, 614–616
 postpeel, 14–17
 ulcers in, 476–477
 Infectious diseases, as complication of treatment of pediatric patient in emergency department, 626–627
 Inferior epigastric artery perforator flap, deep, 313
 Inflammation, as phase of wound healing, 397–398
 signs of, 325
 Instrumentation, for dermabrasion, 71, 85, 86
 for laser blepharoplasty, 97
 Integra, 416–417
 Intensive care unit, neonatal, plastic surgery problems in, 599–617
 Interferon, for treatment of hemangiomas, 514
 Intravenous infiltrate of hyperalimentation, injuries associated with, 602, 603
 Ischemia, and wound healing, 368–369
 severe, of upper extremity, following thrombosis caused by antibiotic infusions, 607, 608
 Ischemia/hypoxia, chronic wounds and, 346–347
 Isotretinoin, in dermabrasion, 68, 82

Jaeger lid plate, for laser blepharoplasty, 97, 98, 99

Kasabach-Merritt syndrome, 512, 515
 Keloid scars, 451, 455
 Keratinocyte migration, chronic wounds and, 348–349
 Ketamine (Ketalar), for sedation of pediatric patient, 624, 625
 Kinins, 325
 Klippel-Trenaunay syndrome, 516

Laser(s), basic components of, 88
 blepharoplasty, and resurfacing, of periorbital area, 95–108
 patient satisfaction with, 108
 postoperative management in, 104
 results of, 104, 105, 106, 107
 safety issues in, 96–97
 complications of, 104–108

for incisional aspects of blepharoplasty, 96
 instrumentation for, 97
 lower transconjunctival, surgical technique for, 98–101
 upper transconjunctival, surgical technique for, 101–104
 CO₂. See CO₂ laser(s).
 energy, 89
 flashlamp pulsed dye, 515
 for treatment of cafe-au-lait macules, 521
 for treatment of congenital melanocytic nevi, 522
 for treatment of vascular malformations, 517
 in tattoo removal, 92
 light, 89–90
 control and delivery of, 91–92
 physics, and physiology, 89–93
 clinical applications of, 92–93
 resurfacing, and laser blepharoplasty, of periorbital area, 95–108
 yttrium aluminum garnet, 515

Laserbrasior, or chemosurgery, versus dermabrasion, 78–79

Lateral transverse thigh flap, 290

Latissimus dorsi flap, autogenous, breast reconstruction using, 230
 extended, 140, 141, 255, 313–314
 for delayed breast reconstruction, 164

Latissimus flap, total autogenous, for breast reconstruction, case studies of, 264–266
 primary, 263
 secondary, 263
 for delayed breast reconstruction, 261–266
 design for, 262, 263
 results of, 263
 shaping of, 262–263

Letter, pre-authorization, 487–488, 489

Leukocytoclastic vasculitis, 470

Levator aponeurosis, advancement of, in blepharoptosis, 581

Lid plate, Jaeger, for laser blepharoplasty, 97, 98, 99

Lidocaine-HCl, for dermabrasion, 72

Light, amplification of, by stimulated emission of radiation, 89–90

Limbs, lengthening of, Ilizarov method in, 568–569

Lip(s), cleft. See *Cleft lip*.
 deformities of, secondary to cleft lip and cleft palate, 502, 504

LTTF flap, 290

Lupus erythematosus, systemic, skin ulcers in, 474–475

Lymphocytes, in wound healing, 326

Macroglossia, in pediatric patients, 646–647
 Macromastia, aesthetic considerations in, 633, 641–642
 Macrophages, in wound healing, 326
 Mammary blood vessels. See *Blood vessels, internal mammary*.
 Mandibular hypoplasia, bilateral, distraction osteogenesis in, 554–555
 Mastectomy, elective contralateral, in high-risk patients, 255, 258
 partial, defects of, breast reshaping in, 307–308
 correction of, contraindications to, 306
 early versus late, 306
 indications for, 303–306
 with distant flaps, 306
 with local tissue, 306–307
 repair of, 303–310
 approaches to, 303

tissue replacement in, using local flaps, 308–309
 deformities from, 303, 304, 305

skin-sparing, 261
 for immediate breast reconstruction, local recurrence and, 152–153

Maturation, as phase of wound healing, 399

Medications, oral, following CO₂ resurfacing, 126
 topical, following CO₂ resurfacing, 126–127

Melanocytic nevi, congenital, 521–522

Meperidine (Demerol), for pediatric patient in emergency department, 625

Mesenchymal cell migration and proliferation, in wound healing, 327–328

Mesh, synthetic, for closure of TRAM flap donor site, 245–246

Microgenia, surgery in, 645–646

Micrognathia, 559
 distraction osteogenesis in, 554–555

Micromastia, aesthetic considerations in, 641

Microskin bits, for wound closure, 418, 419

Microsomia, hemifacial, 557–558

Midazolam (Versed), for sedation of pediatric patient, 623–625

Milia, following CO₂ resurfacing, 129
 following dermabrasion, 75
 postpeel, 17

Moisturizers, following CO₂ resurfacing, 127

Mons pubis, as donor site for skin grafting in pediatric patients, 647–648

Morphine, for pediatric patient in emergency department, 625

Mother-infant relationship, importance of craniofacial abnormalities on, 590–592

Muscles, control of nerves by, 530

Musculoaponeurotic deformity, as high-risk factor for breast reconstruction, 167–168, 240–241

Musculocutaneous flaps, in chronic problem wounds, 375, 376

Nager syndrome, 558

Necrobiosis lipoidica diabetorum, 477

Neodermis, 416

Neonatal intensive care unit, plastic surgery problems in, 599–617

Nerve(s), control of muscles by, 530

Nerve damage, types of, in obstetric brachial plexus palsy, 529

Neurofibroma, surgery for, 585

Neuropsychologic impact, of facial deformities, in children, 587–597

Neurotic excoriations, dermabrasion in, 67

Neutrophils, 325–326

Nevus(i), epidermal, 522–524
 melanocytic, congenital, 521–522
 pigmented, dermabrasion in, 67

Nevus sebaceous of Jadassohn, 523

Newborn, aesthetic considerations in, 631

Nipple-areola complex, reconstruction of, and opposite breast, DIEA flap and, 203

Nose, cleft deformity of, approach to, 495
 secondary to cleft lip and cleft palate, 503–505

continuous positive airway pressure (CPAP) devices causing injury to, 609, 610

deformity of, in pediatric patient, aesthetic considerations and, 633–635

Nutrition, in chronic problem wounds, 374
 pressure ulcers and, 445–446

Nutritional screening form, in wound care, 426, 427

Obesity, as high-risk factor for breast reconstruction, 167–168, 241, 312–313

Occlusion techniques, following buffered phenol peels, 39

Occlusive dressings, following phenol peeling, 8, 9–11, 12

Orthognathic surgery, in cleft lip and cleft palate, 505–506

Osteogenesis, distraction. See *Distraction osteogenesis*.

Osteomyelitis, Ilizarov method in, 572

Otoplasty, followup after, 641

Oxygen, supplemental, for laser blepharoplasty, 97

Palate, cleft. See *Cleft palate*.
 deformities of, secondary to cleft lip and cleft palate, 503

Palsy, brachial plexus. See *Brachial plexus palsy*.

Patients, transfer of, from emergency department, 620–621

Pectus excavatum and carinatum, aesthetic considerations in, 642–643, 644

Peel(s), alpha hydroxy acid. See *Alpha hydroxy acid peels*.
 Grade, formula for, 29
 phenol. See *Phenol peeling*; *Phenol peel(s)*.
 using trichloroacetic acid. See *Trichloroacetic acid, facial peel with*.

Perforator flap, for bilateral breast reconstruction, 253

Periorbital area, laser blepharoplasty and resurfacing of, 95–108

pH data, for buffered phenol peels, 36–39
 on phenol peels, 23–24

Phenol, 2–3
 as keratocoagulant, 3
 modified, for chemical face peeling, 21–44
 rapid absorption of, 4
 toxicology of, 3–4

Phenol peeling, and history of phenol peeling, 1–19
 application of chemical mixture for, 6–9
 complications of, 13–18
 formula preparation for, 5–6, 7
 history of, phenol peeling and, 1–19
 hyperpigmentation following, 13–14
 occlusive dressings following, 8, 9–11, 12
 plastic surgeons and, 2
 postpeel care following, 11–13
 re-epithelialization following, 12–13
 results of, 14–16
 skin preparation and degreasing for, 5
 technique of, 5–11

Phenol peel(s), Baker-Gordon formula for, 21, 22, 23, 24, 29, 30
 buffered, 21
 biopsy data on, 22–23
 complications of, 33–35
 croton oil data on, 24–25
 depth of, factors influencing, 26
 Mascheck-Truppman formula for, 24, 25, 27–29
 materials for, 21–22
 patient selection for, 25–26
 pH data on, 23–24, 36–39
 postpeel occlusion techniques for, 39
 preoperative consultation for, 26
 procedures for, 26–27
 study of, patients in, 27, 28
 candidates for, 4
 dermal regeneration following, 3
 drawbacks of, 3
 dressings techniques for, 43

Phenol peel(s) (*Continued*)
 Hetter-Heresy formula for, 24, 25
 histologic changes associated with, 3
 indications for, 3, 4
 patient selection for, 4
 Stone II formula for, 33, 34, 35–38, 39–42
 Stone-Maschek-Truppman formula for, 24
 Stone-Venner-Kellson formula for, 24
 Venner-Kellson formula for, 21, 22, 23, 25, 27, 28, 29
Photothermolysis, light-tissue interaction in, 90–91
 selective, 90, 92, 93
Physical attractiveness, of infant, influence of, on maternal behavior, 590
Physicians, boarded in Emergency Medicine, 620
 emergency, consultation with surgeons, 620
Pigmentation, skin, alteration of, following dermabrasion, 75
 dark, dermabrasion in, 65, 69
Pigmented nevi, dermabrasion in, 67
Plastic and reconstructive diagnoses, pediatric, common, 485–649
 Plastic surgeons, phenol peeling and, 2
Plastic surgery, problems requiring, in neonatal intensive care unit, 599–617
 Plastic surgery emergency room service, common problems seen by, 619–629
Platelet-derived growth factor, wound healing and, 363
Platelet releasates, in wound healing, 403–404
Platelets, in wound healing, 324
 Poland syndrome, 539, 642, 643
 Polyarteritis nodosa vasculitides, 470–473
 Polydactyly, postaxial, 540–541
 preaxial, 540–541
 Port-wine stains, 516–517
 Precancerous lesions, sun-induced, phenol peeling in, 5
 Pressure reduction device, development of, chronology of, 446–447
 Pressure relief surfaces, pressure ulcers and, 443–450
 Pressure sores, 382–387
 Pressure ulcer(s), 343, 344, 382–387
 and pressure relief surfaces, 443–450
 costs of care associated with, 447–448
 documentation record of, in wound care, 426, 428–429
 factors contributing to, 444
 prevalence of, 430, 431, 443–444
 Prolyl hydroxylase, fetal wound healing and, 360
 Prostaglandins, 325
 Proteases, matrix proteins, chronic wounds and, 349–351
 Protein C deficiency, ulcers in, 476
 Protein S deficiency, ulcers in, 476
 Protein synthesis inhibition, in scar treatment, 461–462
 Proteins, in wound healing, 324
 matrix, and proteases, chronic wounds and, 349–351
 Proteoglycans, in wound healing, 332
 wound repair and, 361–362
 Proteolytic enzyme synthesis, stimulation of, in scar management, 462, 463
 Psychologic factors, in chronic problem wounds, management of, 374–375
 Ptosis, unilateral, in pediatric patient, surgery for, 639, 640
 Punch excision, with graft replacement, following dermabrasion, 76–78
 Punch grafts, following dermabrasion, 76
 Pyoderma gangrenosum, ulcers in, 473–474

Rabies, postexposure prophylaxis, for pediatric patient in emergency department, 627–628

Radial deficiency, and hypoplastic thumb, bilateral, 548, 550
 Radiation, ionizing, low-dose, to prevent keloid recurrence, 459–460
 stimulated emission of, amplification of light by, 89–90
 Radiation damage, impairing wound healing, 369
 Radiation ulcers, 387, 388
 Radiodermatitis, dermabrasion and, 68–69
 Re-epithelialization, following alpha hydroxy acid peels, 51
 following dermabrasion, 67, 74
 following phenol peels, 12–13
Resurfacing agents, 2
Retin-A, in preconditioning for trichloroacetic acid peel, 54–55
Retractor, des Marres, for laser blepharoplasty, 97, 99, 100, 101
 Rheumatoid arthritis, ulcers in, 474
 Rhinophyma, CO₂ laser resurfacing in, 120, 125
 dermabrasion in, 67, 84, 85
 Rhinoplasty, in pediatric patient, 633–635
 Rhytidectomy, dermabrasion and, 66
 Rhytides, dermabrasion in, 64, 66, 82–85
 Rubens flap, 140, 142, 255, 283–292, 314
 anatomy of, 284
 operative details in, 284–288
 previous studies of, 283–284
 results of, 288–290

S-GAP flap. See *Gluteal artery perforator flap, superior*.
Scar contractures, 452
Scarless healing, 357–365
Scarless surgery, 1
Scarring, chickenpox, dermabrasion in, 67
 postpeel, 17–18
 smallpox, dermabrasion in, 67
 traumatic, dermabrasion in, 67, 85
Scars, facial, linear post-traumatic and postoperative, laser resurfacing in, 119–120
 following dermabrasion, treatment of, 76–78
 formation of, excessive, 453
 biophysical therapeutics to limit, 456–460
 pharmacologic therapy to prevent, 460–462
 prevention of, 456
 surgery in, 462–464
 normal wound healing and, 452–456
 hypertrophic, 451, 452, 454–455, 458–459
 problem, 451–465
 definition of, 451
 remodeling of, treatment of, 456–464
Scleroderma, ulcers in, 475
Sedatives, for pediatric patient in emergency department, 623–625
Self-induced wounds, 390, 477–478
Shear, pressure ulcers and, 444–445
Sickle cell ulcers, 389–390, 392
Skin, aging, dermabrasion in, 64, 66
 artificial, for replacement of dermal layer, 416
 color of, as factor for consideration for trichloroacetic acid peel, 53–54
 condition of, lifestyle, hormonal conditions, and sun-tan history influencing, 47–48
 existing conditions of, influence of phenol peel on, 18
 exophytic lesions of, CO₂ laser resurfacing in, 119
 Fitzpatrick type I, phenol peel in, 4
 Fitzpatrick type II, phenol peel in, 4, 5
 pigmentation of, alteration, following dermabrasion,

dark, CO₂ resurfacing in, 121
 dermabrasion in, 65, 69
 regeneration of, following phenol peel, 3
 thickness of, as factor for consideration for trichloroacetic acid peel, 54
 type of, evaluation of, for trichloroacetic acid peel, 53–54

Skin equivalents, comparison of, 440

Skin grafting, aesthetic, in pediatric patients, 647–648

Skin grafts, meshed, 407, 408

Skin-muscle flap blepharoplasty, disenchantment with, 95

Skin refrigerants, for dermabrasion, 72–73

Skin replacements, 407–423
 development of, 411–413
 temporary, 407–409

Skin resurfacing, 1–130

Smallpox scarring, dermabrasion in, 67

Smoking, and wound healing, 371
 as high-risk factor for breast reconstruction, 167, 240

Soft tissue(s), generation of, Ilizarov method for, 567
 infections of, in neonatal intensive care unit, 614–616

Split muscle harvest, for pedicled TRAM flap, 173–176

Spotabrasion, following dermabrasion, 78

Steroids, affecting wound healing, 371
 intralesional, for treatment of hemangiomas, 514
 oral, following CO₂ resurfacing, 126

Stone II formula, for phenol peel, 33, 34, 35–38, 39–42

Stone-Maschek-Truppman formula, for phenol peel, 24

Stone-Venner-Kellson formula, for phenol peel, 24

Sturge-Weber syndrome, 516

Subcision surgery, following dermabrasion, 78

Submucous clefts, treatment of, 500–501

Subscapular system, vascular anatomy of, 208–209

Subscapular trunk, vascular options using, 210

Sunlight, sensitivity to, postpeel, 13

Sunscreens, following CO₂ resurfacing, 127

Supra-Whitnall's levator muscle advancement, in blepharoptosis, 581

Surgery, in chronic problem wounds, 378–379

Sybrachydactyly, 538

Syndactyly, 538, 545

Systemic lupus erythematosus, skin ulcers in, 474–475

Tattoo, removal of, dermabrasion in, 67
 lasers, 92

Team approach, to management of congenital and acquired deformities, 485–491
 advantages of, 485
 at Texas Children's Hospital, 485–488
 history of, 485
 interdisciplinary team flow for, 486, 487
 providing resource management and education, 488–490
 team goals in, 490–491

Tenascin, wound healing and, 361

Tetanus immunization, for pediatric patient in emergency department, 626–627

Texas Children's Hospital, team approach to congenital and acquired deformities at, 485–488

Thigh flap, lateral transverse, 290

Thoracodorsal vessels, as recipient site, 207–213

Thrombin, in wound healing, 323–324

Thrombosis, caused by antibiotic infusions, ischemia of upper extremity following, 607, 608

Thumb, clinodactyly of, 546–547
 hypoplastic, 544, 546, 548, 550
 trigger, 546

Wassel type IV duplicated, 544

Tibia, congenital pseudoarthrosis of, Ilizarov method in, 573

Tibia vara deformity, correction of, Ilizarov method in, 573, 574

Tissue, autologous. See *Autologous tissue*.

Tissue factor, 323

Tongue, reduction of, in pediatric patients, 646–647

TRAM flap, 139–141, 207
 abdominal wall complications associated with, 235
 anatomic distribution of blood supply to, 184
 as autologous tissue technique, 139–141
 bilateral free, for autologous breast reconstruction, 228–230
 bilateral pedicled, 251–253
 for autologous breast reconstruction, 226–228
 bipedicled, breast reconstruction with, 170
 bulge(s), 236–237
 correction of, 246–247
 repair of fascia to avoid, 244–245
 closure of, anatomy applied to, 240
 contraindications to, 267, 283, 312–313
 delayed, 183–189
 delay phenomenon and, 183
 evaluation of risk factors for, 183
 in mastectomy deformities, 184, 186
 surgical technique for, 183–184
 vascular delay and, 184, 185, 187, 188
 donor site, closure of, synthetic mesh for, 245–246
 for breast reconstruction, 312–313
 for delayed breast reconstruction, 157–158
 results of, 159–161
 surgical techniques for, 158
 free, 191–195, 207
 complications of, 193–195
 donor site repair in, 242, 243
 extended, for thin patients, 255, 256–257
 flap elevation for, 192–193, 194
 for bilateral breast reconstruction, 253–255
 for delayed breast reconstruction, contraindications to, 162–164
 indications for, 192
 rationale for, 191–192
 technique of, 158, 165
 versus pedicled, for delayed breast reconstruction, 161–162

harvesting of, and donor site closure, outcomes after, 241–244

hernias and, 236–237
 correction of, 246–247
 repair of fascia to avoid, 244–247

pedicled, and creation of mound, 169–172
 breast aesthetics and, 169–172
 breast reconstruction with, 167–182
 anatomy and circulatory dynamics in, 168
 complications of, 179–181
 flap inset and breast mound creation with, 177–179, 180–181
 patient selection for, 167–168
 planning and marking for, 172
 postoperative care following use of, 179
 procedure selection for, 168–169
 secondary procedures in, 181–182
 split muscle flap elevation for, 176–177
 split muscle harvest for, 173–176
 donor site repair in, 242, 243
 for delayed breast reconstruction, 170
 for immediate breast reconstruction, 170
 unilateral free, for autologous breast reconstruction, 228, 229

TRAM flap (*Continued*)
 unilateral pedicle, for autologous breast reconstruction, 226, 227
 unpedicled, breast reconstruction with, 172–173
 zones for, 168–169

Transforming growth factor beta, wound healing and, 362

Transparent synthetic adhesive films, 434

Transverse rectus abdominis musculocutaneous flap.
 See *TRAM flap*.

Traumatic scarring, dermabrasion in, 67, 85

Treacher-Collins syndrome, case study of clinical implications of, 594–596

Tretinoin, topical, treatment with, for dermabrasion, 70

Trichloroacetic acid, facial peel with, 3
 art of, 53–62
 candidates for, 4–5
 chemical procedure for, 55–57
 complications of, 58–60
 depth of, evaluation of, 57
 factors influencing, 27
 dermatologists and, 2
 designing peel depth for, 55
 evaluation of skin problems prior to, 55
 evaluation of skin type for, 53–54
 history of, 53
 in post phenol peel hyperpigmentation, 13
 postpeel management in, 57–58
 preconditioning skin program for, 54–55
 results of, satisfaction with, 58–62

Trigger thumb, 546

Tumors, Ilizarov method in, 575, 576

Turner's syndrome, aesthetic considerations in, 632

Ulcer(s), arterial, management of, 379–380, 381
 chronic, uncommon, 390–391
 clinical assessment of, 467–468
 diabetic, 345–346, 381, 388–389, 391
 diagnosis and treatment of, 469
 differential diagnosis of, 468
 due to drug toxicity, 387–388, 389, 390
 etiology of, 467
 factitious, 390, 477–478
 in rheumatoid arthritis, 474
 pressure. See *Pressure ulcer(s)*.
 radiation, 387, 388
 sickle cell, 389–390, 392
 uncommon causes of, 467–479
 vasculitis, management of, 380–382, 384–385
 venous, 344–345
 management of, 380, 382, 383

Ultrapulse CO₂ laser, 3

Ultrasonic tissue heating, in problem scars, 459

Umbilical artery catheters, injuries associated with, 603–604

Upper extremity(ies), application of Ilizarov method in, 577
 pediatric, distraction osteogenesis in, 561
 severe ischemia of, following thrombosis caused by antibiotic infusions, 607, 608

Varicella scarring, dermabrasion in, 67

Variola scarring, dermabrasion in, 67

Vascular injuries, in neonatal intensive care unit, 602–613

Vascular malformations, 515–521

Vasculitis, 469–473
 hypersensitivity, 470
 leukocytoclastic, 470
 polyarteritis nodosa, 470–473

Vasculitis ulcers, management of, 380–382, 384–385

Velopharyngeal incompetence, 501–502

Venner-Kellson formula, for phenol peel, 21, 22, 23, 25, 27, 28, 29

Venous insufficiency, chronic, and wound healing, 369–370

Venous malformations, 517–518

Venous ulcer, 344–345

Video imaging system, portable, 486, 488

Virginal hypertrophy, aesthetic considerations in, 641–642

Vitiligo, dermabrasion and, 66

Wassel type IV duplicated thumb, 544

White cell hypothesis, of wound healing, 344

Whitnall's sling, in blepharoptosis, 581

Windblown hand, 546

Wound care, annual prevalence data summary of, 426–431
 following CO₂ resurfacing, 125–126
 nutritional screening form in, 426, 427
 pressure ulcer documentation record in, 426, 428–429

Wound care team, 425–426

Wound contraction, 332–333

Wound healing, 321–349
 cancer and, 371–372
 cellular makeup of, 327
 chemotherapy agents inhibiting, 371
 chronic venous insufficiency and, 369–370
 dynamics of, 367–368
 early events in, 323–327
 final event in, 333–334
 foreign bodies impairing, 369, 370–371
 genetic modification of cultured cells to promote, 416
 iatrogenic agents affecting, 372
 impairment of, 368–372
 in diabetes mellitus, 371
 infection and, 369
 inflammatory phase of, 342
 intermediate events in, 327–330
 ischemia and, 368–369
 late events in, 330–333
 modification of, with exogenous growth factors, 397–405
 normal, and scar formation, 452–456
 phases of, 322–323, 397–399, 452–454
 proliferative phase of, 342
 radiation damage impairing, 369
 scarless, 357–365
 organ specificity and, 359
 species differences in, 359
 smoking and, 371
 steroids affecting, 371

Wounds, acute, physiology of, 321–340
 care of, in hospitalized patient, multidisciplinary approach to, 425–431
 local, in chronic problem wounds, 375–379

chronic, classification of, 343
 factors promoting, 346
 final common pathway of, 351–355
 pathophysiologic mechanisms of, 346–351
 physiology of, 341–356
 types of, 342–346

chronic problem, 367–396

and managed care, 393
classification of, 368
evaluation of, 372-374
management of, 374-391
nonsurgical management of, 391-393
prevention of recurrence of, 391
factitious, 390, 477-478
fetal, 357-365
normal, physiology of, 341-342

overhealing of, 436
size of, wound repair response and, 363
Wrinkles, CO₂ laser resurfacing in, 119, 123-124
Wrist, deficiency of, and bilateral hypoplastic thumb, 548, 550

Xerogels, 435-436